


High Efficiency Indexable Drill

ZSDseries



- Unique waved-edge geometry structure produces steady cutting and smooth chip evacuation;
- Insert designed for double balanced radial run-out control for achieving high accuracy and precision even in long overhang applications;
- Wiper technology produces excellent surface quality and diameter dimension consistency;
- Strong impact-resistance and highly rigid design structure helps achieve high speed, high efficiency, and high stability machining;
- Economical four-edges insert, design suitable for Deep-hole drilling in 2D~5D.




▲ -XR

Machining of hard materials, strengthen cutting edges.




▲ -LM

Geometry for Stainless steel and sticky chip materials.




▲ -XM

General-purpose geometry for stable machining operations.



▲ -EM

Geometry for soft steels to prevent chip-wrapping.




There are three types of geometry, suitable for high efficiency and stability machining in multiple materials.

Case study

Workpiece material: 45#steel (HB170-220)
 Tool: ZSD05-160-XP20-SP05-02
 Insert: SPMX050204-XM/YB9320
 Cutting data: $V_c=120\text{m/min}$, $f=0.07\text{mm/r}$,
 $a_p=80\text{mm}$
 Cooling: Internal coolant supply

• Aperture cylindricity




ZCC-CT

Similar products of company A

Cylindricity	0.03mm	0.15mm
--------------	--------	--------

• Hole surface quality



Conclusion: under the same working conditions, the machined hole surface quality by ZSD series indexable insert drill contributes to better hole precision than A company's similar products.



CVD coating grade

YB6338 (peripheral inserts)

- ▶ Substrate of a tough gradient cemented carbide, enriched with surface bonding phase, nano-dioxygen gradient transition layer, and crystal core pre-implantation coating technology, improves the inserts' wear and heat resistance.
- ▶ Suitable for high-speed, high-feed, and stable working conditions, it is the first choice for drilling of steel.

PVD coating grade

YB9315 (peripheral/central inserts)

• Multilayer nano-coating PVD grade

- ▶ Significantly enhanced on wear resistance & heat resistance, adopting the gradient transition technology, effectively improvement on stress and interface states of the coating layers. Reducing stress concentration, increase the strengths between coating layer and substrate, improve the cutting tool's stability, suitable for M materials drilling machining.

YBS203 (peripheral/central inserts)

• High performance grade for S materials

- ▶ Alloy toughness enhancement technology improves the tool's resistance to crack propagation and high temperature oxidation while ensuring high wear resistance.
- ▶ Adopting a new hard alloy matrix formula greatly improves the high-temperature performance and extends tool life.

YB9320 (peripheral/central inserts)


• General purpose for drilling in P, M, K, N materials



- ▶ The atomic rearrangement technology realizes the long-range orderly arrangement of different coating materials to achieve a perfect match between hardness and toughness, effectively solving the problem of high temperature instability at the interface of multiple coatings and improving the high temperature performance of the coating.
- ▶ High-toughness substrate and TiAlN-based nano multilayer coating, unique ion etching technology, strengthen the cutting edge, and improve the bonding strength between the coating and the substrate.
- ▶ Advanced surface treatment technology, optimized stress distribution, better overall performance.



U drills

ZSD02 2D



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD1	ØD2	L1	L2	Ls	L			
ZSD02-120-XP20-SP04-02	▲	12.0	20	25	27	44	50	94	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD02-125-XP20-SP04-02	▲	12.5	20	25	28	45	50	95	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD02-130-XP20-SP04-02	▲	13.0	20	25	29	46	50	96	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD02-135-XP20-SP04-02	▲	13.5	20	25	30	47	50	97	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD02-140-XP20-SP04-02	▲	14.0	20	25	31	48	50	98	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD02-145-XP20-SP04-02	▲	14.5	20	25	32	49	50	99	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD02-150-XP20-SP05-02	▲	15.0	20	25	33	50	50	100	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD02-155-XP20-SP05-02	▲	15.5	20	25	34	51	50	101	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD02-160-XP20-SP05-02	▲	16.0	20	25	35	52	50	102	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD02-165-XP20-SP05-02	▲	16.5	20	25	36	53	50	103	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD02-170-XP20-SP05-02	▲	17.0	20	25	37	54	50	104	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD02-175-XP20-SP05-02	▲	17.5	20	25	38	55	50	105	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD02-180-XP25-SP06-02	▲	18.0	25	32	39	57	56	113	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-185-XP25-SP06-02	▲	18.5	25	32	40	58	56	114	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-190-XP25-SP06-02	▲	19.0	25	32	41	59	56	115	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-195-XP25-SP06-02	▲	19.5	25	32	42	60	56	116	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-200-XP25-SP06-02	▲	20.0	25	32	43	61	56	117	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-205-XP25-SP06-02	▲	20.5	25	32	44	62	56	118	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-210-XP25-SP06-02	▲	21.0	25	32	45	63	56	119	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-215-XP25-SP06-02	▲	21.5	25	32	46	64	56	120	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-220-XP25-SP06-02	▲	22.0	25	32	47	65	56	121	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD02-225-XP25-SP07-02	▲	22.5	25	32	48	66	56	122	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-230-XP25-SP07-02	▲	23.0	25	32	49	67	56	123	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-235-XP25-SP07-02	▲	23.5	25	32	50	68	56	124	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-240-XP25-SP07-02	▲	24.0	25	32	51	69	56	125	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-245-XP25-SP07-02	▲	24.5	25	32	52	70	56	126	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-250-XP25-SP07-02	▲	25.0	25	32	53	71	56	127	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-255-XP25-SP07-02	▲	25.5	25	32	54	72	56	128	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-260-XP25-SP07-02	▲	26.0	25	32	55	73	56	129	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-265-XP25-SP07-02	▲	26.5	25	32	56	74	56	130	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-270-XP25-SP07-02	▲	27.0	25	32	57	75	56	131	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP

▲Stock available △Make-to-order


Drilling tools

U drills



U drills



ZSD02 2D



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw	Wrench
		ØD	ØD1	ØD2	L1	L2	Ls	L			
ZSD02-275-XP25-SP07-02	▲	27.5	25	32	58	76	56	132	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD02-280-XP32-SP09-02	▲	28.0	32	37	59	79	60	139	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-285-XP32-SP09-02	▲	28.5	32	37	60	80	60	140	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-290-XP32-SP09-02	▲	29.0	32	37	61	81	60	141	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-295-XP32-SP09-02	▲	29.5	32	37	62	82	60	142	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-300-XP32-SP09-02	▲	30.0	32	37	63	83	60	143	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-305-XP32-SP09-02	▲	30.5	32	37	64	84	60	144	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-310-XP32-SP09-02	▲	31.0	32	37	65	85	60	145	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-315-XP32-SP09-02	▲	31.5	32	37	66	86	60	146	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-320-XP32-SP09-02	▲	32.0	32	37	67	87	60	147	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-325-XP32-SP09-02	▲	32.5	32	37	68	88	60	148	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-330-XP32-SP09-02	▲	33.0	32	37	69	89	60	149	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-335-XP32-SP09-02	▲	33.5	32	37	70	90	60	150	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD02-340-XP40-SP11-02	▲	34.0	40	47	71	96	70	166	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-345-XP40-SP11-02	△	34.5	40	47	72	97	70	167	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-350-XP40-SP11-02	▲	35.0	40	47	73	98	70	168	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-355-XP40-SP11-02	△	35.5	40	47	74	99	70	169	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-360-XP40-SP11-02	▲	36.0	40	47	75	100	70	170	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-365-XP40-SP11-02	△	36.5	40	47	76	101	70	171	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-370-XP40-SP11-02	▲	37.0	40	47	77	102	70	172	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-375-XP40-SP11-02	△	37.5	40	47	78	103	70	173	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-380-XP40-SP11-02	▲	38.0	40	47	79	104	70	174	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-385-XP40-SP11-02	△	38.5	40	47	80	105	70	175	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-390-XP40-SP11-02	▲	39.0	40	47	81	106	70	176	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-395-XP40-SP11-02	△	39.5	40	47	82	107	70	177	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-400-XP40-SP11-02	▲	40.0	40	47	83	108	70	178	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-405-XP40-SP11-02	△	40.5	40	47	84	109	70	179	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-410-XP40-SP11-02	▲	41.0	40	47	85	110	70	180	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-415-XP40-SP11-02	△	41.5	40	47	86	111	70	181	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-420-XP40-SP11-02	▲	42.0	40	52	87	119	70	189	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD02-425-XP40-SP14-02	△	42.5	40	52	88	120	70	190	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP

▲Stock available △Make-to-order




Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD ₁	ØD ₂	L ₁	L ₂	L _s	L			
ZSD02-430-XP40-SP14-02	▲	43.0	40	52	89	121	70	191	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-435-XP40-SP14-02	△	43.5	40	52	90	122	70	192	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-440-XP40-SP14-02	▲	44.0	40	52	91	123	70	193	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-445-XP40-SP14-02	△	44.5	40	52	92	124	70	194	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-450-XP40-SP14-02	▲	45.0	40	52	93	125	70	195	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-455-XP40-SP14-02	△	45.5	40	52	94	126	70	196	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-460-XP40-SP14-02	▲	46.0	40	52	95	127	70	197	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-465-XP40-SP14-02	△	46.5	40	52	96	128	70	198	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-470-XP40-SP14-02	▲	47.0	40	52	97	129	70	199	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-475-XP40-SP14-02	△	47.5	40	52	98	130	70	200	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-480-XP40-SP14-02	▲	48.0	40	52	99	131	70	201	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-485-XP40-SP14-02	△	48.5	40	52	100	132	70	202	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-490-XP40-SP14-02	▲	49.0	40	52	101	133	70	203	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-495-XP40-SP14-02	△	49.5	40	52	102	134	70	204	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD02-500-XP40-SP14-02	▲	50.0	40	52	103	135	70	205	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP



▲Stock available △Make-to-order



U drills



ZSD03 3D



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD1	ØD2	L1	L2	Ls	L			
ZSD03-120-XP20-SP04-02	▲	12.0	20	25	39	55	50	105	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD03-125-XP20-SP04-02	▲	12.5	20	25	41	57	50	107	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD03-130-XP20-SP04-02	▲	13.0	20	25	42	58	50	108	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD03-135-XP20-SP04-02	▲	13.5	20	25	44	60	50	110	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD03-140-XP20-SP04-02	▲	14.0	20	25	45	61	50	111	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD03-145-XP20-SP04-02	▲	14.5	20	25	47	63	50	113	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD03-150-XP20-SP05-02	▲	15.0	20	25	48	64	50	114	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD03-155-XP20-SP05-02	▲	15.5	20	25	50	66	50	116	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD03-160-XP20-SP05-02	▲	16.0	20	25	51	67	50	117	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD03-165-XP20-SP05-02	▲	16.5	20	25	53	69	50	119	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD03-170-XP20-SP05-02	▲	17.0	20	25	54	70	50	120	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD03-175-XP20-SP05-02	▲	17.5	20	25	56	72	50	122	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD03-180-XP25-SP06-02	▲	18.0	25	32	57	75	56	131	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-185-XP25-SP06-02	▲	18.5	25	32	59	77	56	133	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-190-XP25-SP06-02	▲	19.0	25	32	60	78	56	134	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-195-XP25-SP06-02	▲	19.5	25	32	62	80	56	136	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-200-XP25-SP06-02	▲	20.0	25	32	63	81	56	137	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-205-XP25-SP06-02	▲	20.5	25	32	65	83	56	139	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-210-XP25-SP06-02	▲	21.0	25	32	66	84	56	140	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-215-XP25-SP06-02	▲	21.5	25	32	68	86	56	142	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-220-XP25-SP06-02	▲	22.0	25	32	69	87	56	143	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD03-225-XP25-SP07-02	▲	22.5	25	32	71	89	56	145	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-230-XP25-SP07-02	▲	23.0	25	32	72	91	56	147	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-235-XP25-SP07-02	▲	23.5	25	32	74	93	56	149	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-240-XP25-SP07-02	▲	24.0	25	32	75	94	56	150	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-245-XP25-SP07-02	▲	24.5	25	32	77	96	56	152	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP

▲Stock available △Make-to-order



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD ₁	ØD ₂	L ₁	L ₂	L _s	L			
ZSD03-250-XP25-SP07-02	▲	25.0	25	32	78	97	56	153	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-255-XP25-SP07-02	▲	25.5	25	32	80	99	56	155	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-260-XP25-SP07-02	▲	26.0	25	32	81	100	56	156	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-265-XP25-SP07-02	▲	26.5	25	32	83	102	56	158	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-270-XP25-SP07-02	▲	27.0	25	32	84	104	56	160	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-275-XP25-SP07-02	▲	27.5	25	32	86	106	56	162	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD03-280-XP32-SP09-02	▲	28.0	32	37	87	109	60	169	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-285-XP32-SP09-02	▲	28.5	32	37	89	111	60	171	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-290-XP32-SP09-02	▲	29.0	32	37	90	112	60	172	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-295-XP32-SP09-02	▲	29.5	32	37	92	114	60	174	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-300-XP32-SP09-02	▲	30.0	32	37	93	115	60	175	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-305-XP32-SP09-02	▲	30.5	32	37	95	117	60	177	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-310-XP32-SP09-02	▲	31.0	32	37	96	118	60	178	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-315-XP32-SP09-02	▲	31.5	32	37	98	120	60	180	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-320-XP32-SP09-02	▲	32.0	32	37	99	121	60	181	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-325-XP32-SP09-02	▲	32.5	32	37	101	123	60	183	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-330-XP32-SP09-02	▲	33.0	32	37	102	124	60	184	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-335-XP32-SP09-02	▲	33.5	32	37	104	126	60	186	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD03-340-XP40-SP11-02	▲	34.0	40	47	105	130	70	200	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-345-XP40-SP11-02	△	34.5	40	47	107	132	70	202	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-350-XP40-SP11-02	▲	35.0	40	47	108	133	70	203	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-355-XP40-SP11-02	△	35.5	40	47	100	135	70	205	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-360-XP40-SP11-02	▲	36.0	40	47	111	136	70	206	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-365-XP40-SP11-02	△	36.5	40	47	113	138	70	208	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-370-XP40-SP11-02	▲	37.0	40	47	114	139	70	209	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-375-XP40-SP11-02	△	37.5	40	47	116	141	70	211	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-380-XP40-SP11-02	▲	38.0	40	47	117	142	70	212	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-385-XP40-SP11-02	△	38.5	40	47	119	144	70	214	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-390-XP40-SP11-02	▲	39.0	40	47	120	145	70	215	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-395-XP40-SP11-02	△	39.5	40	47	122	147	70	217	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-400-XP40-SP11-02	▲	40.0	40	47	123	148	70	218	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-405-XP40-SP11-02	△	40.5	40	47	125	150	70	220	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-410-XP40-SP11-02	▲	41.0	40	47	126	151	70	221	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-415-XP40-SP11-02	△	41.5	40	47	128	153	70	223	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD03-420-XP40-SP11-02	▲	42.0	40	52	129	161	70	231	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP

▲Stock available △Make-to-order


Drilling tools



U drills



U drills

ZSD03 3D




Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD ₁	ØD ₂	L ₁	L ₂	L _s	L			
ZSD03-425-XP40-SP14-02	△	42.5	40	52	131	163	70	233	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-430-XP40-SP14-02	▲	43.0	40	52	132	164	70	234	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-435-XP40-SP14-02	△	43.5	40	52	134	166	70	236	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-440-XP40-SP14-02	▲	44.0	40	52	135	167	70	237	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-445-XP40-SP14-02	△	44.5	40	52	137	169	70	239	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-450-XP40-SP14-02	▲	45.0	40	52	138	170	70	240	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-455-XP40-SP14-02	△	45.5	40	52	140	172	70	242	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-460-XP40-SP14-02	▲	46.0	40	52	141	173	70	243	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-465-XP40-SP14-02	△	46.5	40	52	142	175	70	245	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-470-XP40-SP14-02	▲	47.0	40	52	144	176	70	246	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-475-XP40-SP14-02	△	47.5	40	52	146	178	70	248	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-480-XP40-SP14-02	▲	48.0	40	52	147	179	70	249	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-485-XP40-SP14-02	△	48.5	40	52	149	181	70	251	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-490-XP40-SP14-02	▲	49.0	40	52	150	182	70	252	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-495-XP40-SP14-02	△	49.5	40	52	152	184	70	254	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP
ZSD03-500-XP40-SP14-02	▲	50.0	40	52	153	185	70	255	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP



▲Stock available △Make-to-order



U drills

ZSD04 4D



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD ₁	ØD ₂	L ₁	L ₂	L _s	L			
ZSD04-120-XP20-SP04-02	▲	12.0	20	25	51	67	50	117	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD04-125-XP20-SP04-02	▲	12.5	20	25	53	69	50	119	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD04-130-XP20-SP04-02	▲	13.0	20	25	55	71	50	121	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD04-135-XP20-SP04-02	▲	13.5	20	25	57	73	50	123	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD04-140-XP20-SP04-02	▲	14.0	20	25	59	75	50	125	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD04-145-XP20-SP04-02	▲	14.5	20	25	61	77	50	127	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD04-150-XP20-SP05-02	▲	15.0	20	25	63	79	50	129	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD04-155-XP20-SP05-02	▲	15.5	20	25	65	81	50	131	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD04-160-XP20-SP05-02	▲	16.0	20	25	67	83	50	133	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD04-165-XP20-SP05-02	▲	16.5	20	25	69	85	50	135	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD04-170-XP20-SP05-02	▲	17.0	20	25	71	87	50	137	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD04-175-XP20-SP05-02	▲	17.5	20	25	73	89	50	139	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD04-180-XP25-SP06-02	▲	18.0	25	32	75	93	56	149	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-185-XP25-SP06-02	▲	18.5	25	32	77	95	56	151	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-190-XP25-SP06-02	▲	19.0	25	32	79	97	56	153	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-195-XP25-SP06-02	▲	19.5	25	32	81	99	56	155	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-200-XP25-SP06-02	▲	20.0	25	32	83	101	56	157	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-205-XP25-SP06-02	▲	20.5	25	32	85	103	56	159	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-210-XP25-SP06-02	▲	21.0	25	32	87	105	56	161	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-215-XP25-SP06-02	▲	21.5	25	32	89	107	56	163	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-220-XP25-SP06-02	▲	22.0	25	32	91	109	56	165	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD04-225-XP25-SP07-02	▲	22.5	25	32	93	111	56	167	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-230-XP25-SP07-02	▲	23.0	25	32	95	114	56	170	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-235-XP25-SP07-02	▲	23.5	25	32	97	116	56	172	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-240-XP25-SP07-02	▲	24.0	25	32	99	118	56	174	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-245-XP25-SP07-02	▲	24.5	25	32	101	120	56	176	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-250-XP25-SP07-02	▲	25.0	25	32	103	122	56	178	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-250-XP32-SP07-02	▲	25.0	32	37	103	122	60	182	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-255-XP25-SP07-02	▲	25.5	25	32	105	125	56	181	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-255-XP32-SP07-02	▲	25.5	32	37	105	125	60	185	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD04-260-XP25-SP07-02	▲	26.0	25	32	107	126	56	182	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP

▲Stock available △Make-to-order


Drilling tools



U drills



U drills



ZSD04 4D



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD1	ØD2	L1	L2	Ls	L			
ZSD04-260-XP32-SP07-02	▲	26.0	32	37	107	126	60	186	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT071P
ZSD04-265-XP25-SP07-02	▲	26.5	25	32	109	128	56	184	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT071P
ZSD04-265-XP32-SP07-02	▲	26.5	32	37	109	128	60	188	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT071P
ZSD04-270-XP25-SP07-02	▲	27.0	25	32	111	131	56	187	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT071P
ZSD04-270-XP32-SP07-02	▲	27.0	32	37	111	131	60	191	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT071P
ZSD04-275-XP25-SP07-02	▲	27.5	25	32	113	134	56	190	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT071P
ZSD04-275-XP32-SP07-02	▲	27.5	32	37	113	134	60	194	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT071P
ZSD04-280-XP32-SP09-02	▲	28.0	32	37	115	139	60	199	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-285-XP32-SP09-02	▲	28.5	32	37	117	141	60	201	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-290-XP32-SP09-02	▲	29.0	32	37	119	143	60	203	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-295-XP32-SP09-02	▲	29.5	32	37	121	145	60	205	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-300-XP32-SP09-02	▲	30.0	32	37	123	147	60	207	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-305-XP32-SP09-02	▲	30.5	32	37	125	149	60	209	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-310-XP32-SP09-02	▲	31.0	32	37	127	151	60	211	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-315-XP32-SP09-02	▲	31.5	32	37	129	153	60	213	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-320-XP32-SP09-02	▲	32.0	32	37	131	155	60	215	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-320-XP40-SP09-02	▲	32.0	40	47	131	155	70	225	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-325-XP32-SP09-02	▲	32.5	32	37	133	157	60	217	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-325-XP40-SP09-02	▲	32.5	40	47	133	157	70	227	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-330-XP32-SP09-02	▲	33.0	32	37	135	159	60	219	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-330-XP40-SP09-02	▲	33.0	40	47	135	159	70	229	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-335-XP32-SP09-02	▲	33.5	32	37	137	161	60	221	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-335-XP40-SP09-02	▲	33.5	40	47	137	161	70	231	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT151P
ZSD04-340-XP40-SP11-02	▲	34.0	40	47	139	164	70	234	SPMX110408- XM/LM/EM/XR	I60M4×10	WT151P
ZSD04-345-XP40-SP11-02	△	34.5	40	47	141	166	70	236	SPMX110408- XM/LM/EM/XR	I60M4×10	WT151P
ZSD04-350-XP40-SP11-02	▲	35.0	40	47	143	168	70	238	SPMX110408- XM/LM/EM/XR	I60M4×10	WT151P
ZSD04-355-XP40-SP11-02	△	35.5	40	47	145	170	70	240	SPMX110408- XM/LM/EM/XR	I60M4×10	WT151P
ZSD04-360-XP40-SP11-02	▲	36.0	40	47	147	172	70	242	SPMX110408- XM/LM/EM/XR	I60M4×10	WT151P
ZSD04-365-XP40-SP11-02	△	36.5	40	47	149	174	70	244	SPMX110408- XM/LM/EM/XR	I60M4×10	WT151P
ZSD04-370-XP40-SP11-02	▲	37.0	40	47	151	176	70	246	SPMX110408- XM/LM/EM/XR	I60M4×10	WT151P
ZSD04-375-XP40-SP11-02	△	37.5	40	47	153	178	70	248	SPMX110408- XM/LM/EM/XR	I60M4×10	WT151P

▲Stock available △Make-to-order



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD ₁	ØD ₂	L ₁	L ₂	L _s	L			
ZSD04-380-XP40-SP11-02	▲	38.0	40	47	155	180	70	250	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-385-XP40-SP11-02	△	38.5	40	47	157	182	70	252	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-390-XP40-SP11-02	▲	39.0	40	47	159	184	70	254	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-395-XP40-SP11-02	△	39.5	40	47	161	186	70	256	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-400-XP40-SP11-02	▲	40.0	40	47	163	188	70	258	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-405-XP40-SP11-02	△	40.5	40	47	165	190	70	260	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-410-XP40-SP11-02	▲	41.0	40	47	167	192	70	262	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-415-XP40-SP11-02	△	41.5	40	47	169	194	70	264	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-420-XP40-SP11-02	▲	42.0	40	52	171	203	70	273	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-420-XP50-SP11-02	△	42.0	50	57	171	203	80	283	SPMX110408-XM/LM/EM/XR	I60M4×10	WT15IP
ZSD04-425-XP40-SP14-02	△	42.5	40	52	173	205	70	275	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-425-XP50-SP14-02	△	42.5	50	57	173	205	80	285	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-430-XP40-SP14-02	▲	43.0	40	52	175	207	70	277	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-430-XP50-SP14-02	△	43.0	50	57	175	207	80	287	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-435-XP40-SP14-02	△	43.5	40	52	177	209	70	279	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-435-XP50-SP14-02	△	43.5	50	57	177	209	80	289	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-440-XP40-SP14-02	▲	44.0	40	52	179	211	70	281	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-440-XP50-SP14-02	△	44.0	50	57	179	211	80	291	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-445-XP40-SP14-02	△	44.5	40	52	181	213	70	283	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-445-XP50-SP14-02	△	44.5	50	57	181	213	80	293	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-450-XP40-SP14-02	▲	45.0	40	52	183	215	70	285	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-450-XP50-SP14-02	△	45.0	50	57	183	225	80	295	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-455-XP40-SP14-02	△	45.5	40	52	185	217	70	287	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-455-XP50-SP14-02	△	45.5	50	57	185	217	80	297	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-460-XP40-SP14-02	▲	46.0	40	52	187	219	70	289	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-460-XP50-SP14-02	△	46.0	50	57	187	219	80	299	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-465-XP40-SP14-02	△	46.5	40	52	189	221	70	291	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-465-XP50-SP14-02	△	46.5	50	57	189	221	80	301	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-470-XP40-SP14-02	▲	47.0	40	52	191	223	70	293	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-470-XP50-SP14-02	△	47.0	50	57	191	223	80	303	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-475-XP40-SP14-02	△	47.5	40	52	193	225	70	295	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-475-XP50-SP14-02	△	47.5	50	57	193	225	80	305	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-480-XP40-SP14-02	▲	48.0	40	52	195	227	70	297	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-480-XP50-SP14-02	△	48.0	50	57	195	227	80	307	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-485-XP40-SP14-02	△	48.5	40	52	197	229	70	299	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-485-XP50-SP14-02	△	48.5	50	57	197	229	80	309	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-490-XP40-SP14-02	▲	49.0	40	52	199	231	70	301	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-490-XP50-SP14-02	△	49.0	50	57	199	231	80	311	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-495-XP40-SP14-02	△	49.5	40	52	201	233	70	303	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-495-XP50-SP14-02	△	49.5	50	57	201	233	80	313	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-500-XP40-SP14-02	▲	50.0	40	52	203	235	70	305	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP
ZSD04-500-XP50-SP14-02	△	50.0	50	57	203	235	80	315	SPMX140512-XM/LM/EM/XR	I60M5×13	WT20IP

▲Stock available △Make-to-order

Drilling tools


U drills



U drills

U drills

ZSD05 5D





Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw	Wrench
		ØD	ØD1	ØD2	L1	L2	Ls	L			
ZSD05-120-XP20-SP04-02	▲	12.0	20	25	63	79	50	129	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD05-125-XP20-SP04-02	▲	12.5	20	25	66	82	50	132	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD05-130-XP20-SP04-02	▲	13.0	20	25	68	84	50	134	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD05-135-XP20-SP04-02	▲	13.5	20	25	71	87	50	137	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD05-140-XP20-SP04-02	▲	14.0	20	25	73	89	50	139	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD05-145-XP20-SP04-02	▲	14.5	20	25	76	91	50	141	SPMX040203-XM/LM/EM/XR	I60M1.8×4.5	WT05IP
ZSD05-150-XP20-SP05-02	▲	15.0	20	25	78	94	50	144	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD05-155-XP20-SP05-02	▲	15.5	20	25	81	97	50	147	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD05-160-XP20-SP05-02	▲	16.0	20	25	83	99	50	149	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD05-165-XP20-SP05-02	▲	16.5	20	25	86	102	50	152	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD05-170-XP20-SP05-02	▲	17.0	20	25	88	104	50	154	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD05-175-XP20-SP05-02	▲	17.5	20	25	91	107	50	157	SPMX050204-XM/LM/EM/XR	I60M2×4.3	WT06P
ZSD05-180-XP25-SP06-02	▲	18.0	25	32	93	112	56	167	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-185-XP25-SP06-02	▲	18.5	25	32	96	114	56	170	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-190-XP25-SP06-02	▲	19.0	25	32	98	116	56	172	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-195-XP25-SP06-02	▲	19.5	25	32	101	119	56	175	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-200-XP25-SP06-02	▲	20.0	25	32	103	121	56	177	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-205-XP25-SP06-02	▲	20.5	25	32	106	124	56	180	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-210-XP25-SP06-02	▲	21.0	25	32	108	126	56	182	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-215-XP25-SP06-02	▲	21.5	25	32	111	129	56	185	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-220-XP25-SP06-02	▲	22.0	25	32	113	131	56	187	SPMX060204-XM/LM/EM/XR	I60M2.2×5.5	WT07IP
ZSD05-225-XP25-SP07-02	▲	22.5	25	32	116	134	56	190	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-230-XP25-SP07-02	▲	23.0	25	32	118	138	56	194	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-235-XP25-SP07-02	▲	23.5	25	32	121	141	56	197	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-240-XP25-SP07-02	▲	24.0	25	32	123	143	56	199	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-245-XP25-SP07-02	▲	24.5	25	32	126	146	56	202	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-250-XP25-SP07-02	▲	25.0	25	32	128	148	56	204	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-250-XP32-SP07-02	▲	25.0	32	37	128	148	60	208	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-255-XP25-SP07-02	▲	25.5	25	32	131	151	56	207	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-255-XP32-SP07-02	▲	25.5	32	37	131	151	60	211	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-260-XP25-SP07-02	▲	26.0	25	32	133	153	56	209	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-260-XP32-SP07-02	▲	26.0	32	37	133	153	60	213	SPMX07T308-XM/LM/EM/XR	I60M2.5×6.5	WT07IP

▲Stock available △Make-to-order

Drilling tools

U drills



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD ₁	ØD ₂	L ₁	L ₂	L _s	L			
ZSD05-265-XP25-SP07-02	▲	26.5	25	32	136	156	56	212	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-265-XP32-SP07-02	▲	26.5	32	37	136	156	60	216	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-270-XP25-SP07-02	▲	27.0	25	32	138	158	56	214	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-270-XP32-SP07-02	▲	27.0	32	37	138	158	60	218	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-275-XP25-SP07-02	▲	27.5	25	32	141	161	56	217	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-275-XP32-SP07-02	▲	27.5	32	37	141	161	60	221	SPMX07T308- XM/LM/EM/XR	I60M2.5×6.5	WT07IP
ZSD05-280-XP32-SP09-02	▲	28.0	32	37	143	163	60	223	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-285-XP32-SP09-02	▲	28.5	32	37	146	166	60	226	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-290-XP32-SP09-02	▲	29.0	32	37	148	168	60	228	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-295-XP32-SP09-02	▲	29.5	32	37	151	171	60	231	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-300-XP32-SP09-02	▲	30.0	32	37	153	173	60	233	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-305-XP32-SP09-02	▲	30.5	32	37	156	176	60	236	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-310-XP32-SP09-02	▲	31.0	32	37	158	178	60	238	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-315-XP32-SP09-02	▲	31.5	32	37	161	181	60	241	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-320-XP32-SP09-02	▲	32.0	32	37	163	183	60	243	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-320-XP40-SP09-02	▲	32.0	40	47	163	183	70	253	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-325-XP32-SP09-02	▲	32.5	32	37	166	186	60	246	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-325-XP40-SP09-02	▲	32.5	40	47	166	186	70	256	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-330-XP32-SP09-02	▲	33.0	32	37	168	189	60	249	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-330-XP40-SP09-02	▲	33.0	40	47	168	189	70	259	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-335-XP32-SP09-02	▲	33.5	32	37	171	193	60	253	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-335-XP40-SP09-02	▲	33.5	40	47	171	193	70	263	SPMX090408- XM/LM/EM/XR	I60M3.5×8	WT15IP
ZSD05-340-XP40-SP11-02	▲	34.0	40	47	173	198	70	268	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-345-XP40-SP11-02	△	34.5	40	47	176	201	70	271	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-350-XP40-SP11-02	▲	35.0	40	47	178	203	70	273	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-355-XP40-SP11-02	△	35.5	40	47	181	206	70	276	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-360-XP40-SP11-02	▲	36.0	40	47	183	208	70	278	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-365-XP40-SP11-02	△	36.5	40	47	186	211	70	281	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-370-XP40-SP11-02	▲	37.0	40	47	188	213	70	283	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-375-XP40-SP11-02	△	37.5	40	47	191	216	70	286	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-380-XP40-SP11-02	▲	38.0	40	47	193	218	70	288	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-385-XP40-SP11-02	△	38.5	40	47	196	221	70	291	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-390-XP40-SP11-02	▲	39.0	40	47	198	223	70	293	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-395-XP40-SP11-02	△	39.5	40	47	201	226	70	296	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-400-XP40-SP11-02	▲	40.0	40	47	203	228	70	298	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-405-XP40-SP11-02	△	40.5	40	47	206	231	70	301	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-410-XP40-SP11-02	▲	41.0	40	47	208	233	70	303	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-415-XP40-SP11-02	△	41.5	40	47	211	236	70	306	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-420-XP40-SP11-02	▲	42.0	40	52	213	245	70	315	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-420-XP50-SP11-02	△	42.0	50	57	213	245	80	325	SPMX110408- XM/LM/EM/XR	I60M4×10	WT15IP
ZSD05-425-XP40-SP14-02	△	42.5	40	52	216	248	70	318	SPMX140512- XM/LM/EM/XR	I60M5×13	WT20IP

▲Stock available △Make-to-order


Drilling tools



U drills



U drills

ZSD05 5D



Type	Stock	Basic dimension(mm)							Applicable inserts	Insert screw 	Wrench 
		ØD	ØD1	ØD2	L1	L2	Ls	L			
ZSD05-425-XP50-SP14-02	△	42.5	50	57	216	248	80	328	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-430-XP40-SP14-02	▲	43.0	40	52	218	250	70	320	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-430-XP50-SP14-02	△	43.0	50	57	218	250	80	330	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-435-XP40-SP14-02	△	43.5	40	52	221	253	70	323	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-435-XP50-SP14-02	△	43.5	50	57	221	253	80	333	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-440-XP40-SP14-02	▲	44.0	40	52	223	255	70	325	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-440-XP50-SP14-02	△	44.0	50	57	223	255	80	335	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-445-XP40-SP14-02	△	44.5	40	52	226	258	70	328	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-445-XP50-SP14-02	△	45.5	50	57	226	258	80	338	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-450-XP40-SP14-02	▲	45.0	40	52	228	260	70	330	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-450-XP50-SP14-02	△	45.0	50	57	228	260	80	340	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-455-XP40-SP14-02	△	45.5	40	52	231	263	70	333	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-455-XP50-SP14-02	△	45.5	50	57	231	263	80	343	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-460-XP40-SP14-02	▲	46.0	40	52	233	265	70	335	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-460-XP50-SP14-02	△	46.0	50	57	233	265	80	345	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-465-XP40-SP14-02	△	46.5	40	52	236	268	70	338	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-465-XP50-SP14-02	△	46.5	50	57	236	268	80	348	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-470-XP40-SP14-02	▲	47.0	40	52	238	270	70	340	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-470-XP50-SP14-02	△	47.0	50	57	238	270	80	350	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-475-XP40-SP14-02	△	47.5	40	52	241	273	70	343	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-475-XP50-SP14-02	△	47.5	50	57	241	273	80	353	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-480-XP40-SP14-02	▲	48.0	40	52	243	275	70	345	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-480-XP50-SP14-02	△	48.0	50	57	246	275	80	355	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-485-XP40-SP14-02	△	48.5	40	52	246	278	70	348	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-485-XP50-SP14-02	△	48.5	50	57	246	278	80	358	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-490-XP40-SP14-02	▲	49.0	40	52	248	280	70	350	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-490-XP50-SP14-02	△	49.0	50	57	248	280	80	360	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-495-XP40-SP14-02	△	49.5	40	52	251	283	70	353	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-495-XP50-SP14-02	△	49.5	50	57	251	283	80	363	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-500-XP40-SP14-02	▲	50.0	40	52	253	285	70	355	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP
ZSD05-500-XP50-SP14-02	△	50.0	50	57	253	285	80	365	SPMX140512-XM/LM/EM/XR	160M5×13	WT20IP

▲Stock available △Make-to-order